IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- (Original) A method for providing a data management system, comprising:
 preprocessing a database having a relation to produce an index;
 receiving a query having aggregation constraints; and
 applying said index to look up a result in response to said query having
 aggregation constraints.
- 2. (Original) The method of claim 1, wherein said query having aggregation constraints includes an n-dimensional vector of constants associated with said aggregation constraints.
- 3. (Original) The method of claim 1, wherein said index is produced by evaluating solution to a knapsack problem on said relation for a select number of vectors of constants associated with said aggregation constraints.
- 4. (Original) The method of claim 1, wherein said index contains pointers pointing to one or more answers that are considered to be said result within a predefined approximation factor.
- 5. (Original) The method of claim 1, wherein said index contains pointers pointing to a plurality of partitions, where if said query falls within one of said partition, then each partition is representative of a set of answers corresponding to said result.
- 6. (Original) The method of claim 1, wherein said preprocessing step comprises:

identifying a dominating vector of constants, \bar{c} for a given n-dimensional vector of constants \bar{c} .

→ PTO

7. (Original) The method of claim 6, wherein said preprocessing step further comprises:

obtaining a partition defined by said vector c and said vector c'.

- 8. (Original) The method of claim 7, wherein said partition is expressed as a hyper rectangle.
- 9. (Original) The method of claim 7, wherein said preprocessing step further comprises:

inserting said partition into a multidimensional data structure.

- 10. (Original) The method of claim 9, wherein said multidimensional data structure is an R-Tree.
- 11. (Original) The method of claim 1, wherein said result is guaranteed to be accurate within a predefined approximation factor.
- 12. (Original) The method of claim 11, wherein said predefined approximation factor can be selectively changed.
- 13. (Original) The method of claim 1, wherein said result is representative of one of more answers that are deemed to be dominant.
- 14. (Original) The method of claim 1, wherein said result is representative of one of more answers that are deemed to be dominant within an approximation factor.
- 15.-16. (Canceled)

17. (Original) An apparatus for providing a data management system, comprising:

means for preprocessing a database having a relation to produce an index;

means for receiving a query having aggregation constraints; and means for applying said index to look up a result in response to said query having aggregation constraints.

- 18. (Canceled)
- 19. (Original) A computer-readable medium having stored thereon a plurality of instructions, the plurality of instructions including instructions which, when executed by a processor, cause the processor to perform the steps comprising of:

preprocessing a database having a relation to produce an index;
receiving a query having aggregation constraints; and
applying said index to look up a result in response to said query having
aggregation constraints.

- 20. (Canceled)
- 21. (New) The computer-readable medium of claim 19, wherein said query having aggregation constraints includes an n-dimensional vector of constants associated with said aggregation constraints.
- 22. (New) The computer-readable medium of claim 19, wherein said index is produced by evaluating solution to a knapsack problem on said relation for a select number of vectors of constants associated with said aggregation constraints.

- 23. (New) The computer-readable medium of claim 19, wherein said index contains pointers pointing to one or more answers that are considered to be said result within a predefined approximation factor.
- 24. (New) The computer-readable medium of claim 19, wherein said index contains pointers pointing to a plurality of partitions, where if said query falls within one of said partition, then each partition is representative of a set of answers corresponding to said result.